No.



8500119

Northrup King Co.

Withereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT TY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT F. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'S42-30'

In Testimony Wathereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. 31st day of October the year of our Lord one thousand nine hundred and eighty-six.

APPROVAL EXPIRES 4-30-85 U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE FORM APPROVED: OMB NO. 0681-0065 Application is required in order to determine if a plant variety protection certificate is to APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (Instructions on reverse) (7 U.S.C. 2426). 1. NAME OF APPLICANT(S) 2. TEMPORARY DESIGNATION 3. VARIETY NAME Northrup King Co. J910277 S42-30 4. ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code) FOR OFFICIAL USE ONLY 5. PHONE (Include area code) PVPO NUMBER P. O. Box 959 8500119 Minneapolis, MN 55440 612-781-8011 6. GENUS AND SPECIES NAME 7. FAMILY NAME (Botanical) 4/26/85 TIME Glycine max Leguminosae 2:30 [A.M. 8. KIND NAME AMOUNT FOR FILING 9. DATE OF DETERMINATION 1,800 RECEIVED DATE Soybean March, 1984 4/26/85 IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION (Corporation, partnership, association, etc.) AMOUNT FOR CERTIFICATE 200 Corporation 11. IF INCORPORATED, GIVE STATE OF INCORPORATION 12. Delaware 1896 13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS Robert W. Romig Northrup King Co. 612-781-5305 P. O. Box 959 PHONE (Include area code): Minneapolis, MN 55440 CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED ء. 🗵 Exhibit A, Origin and Breeding History of the Variety (See Section 52 of the Plant Variety Protection Act.) ь. 🗵 Exhibit B, Novelty Statement, c. 🗵 Exhibit C, Objective Description of Variety (Request form from Plant Variety Protection Office.) d. 🔀 Exhibit D, Additional Description of Variety. c. 🗵 Exhibit E, Statement of the Basis of Applicant's Ownership. 15. DOES THE APPLICANTIS) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? (See Section 83(a) of the Plant Variety Protection Act.) Yes (If "Yes," answer items 16 and 17 below) X No 16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED? Certified Registered 18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S.? Yes (If "Yes," give date) 19. HAS THE VARIETY BEEN RELEASED, OFFERED FOR SALE, OR MARKETED IN THE U.S. OR OTHER COUNTRIES? Yes (If "Yes," give names of countries and dates) 20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable. The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in Section 41, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act. Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties. SIGNATURE OF APPLICANT DATE 4/23/85 DATE

FORM WA-470 (7-84) (Edition of 3-84 is obsolete.)

EXHIBIT A

Origin and Breeding History of the Variety

- 1976-78 The Northrup King soybean research group at Washington, IA made the cross, 'Essex' x 'Agripro 35' and advanced the population to F₆. We practiced mass-selection for Group IV or earlier maturity in the F₃. In October, 1978, we selected 50 plants of Group IV or earlier maturity and threshed them individually.
- 1979 We grew each of the 50 plant selections in an F_7 progeny row. One of these, numbered J910277, was selected on the basis of agronomic appearance and early Group IV maturity to be tested in a preliminary yield trial. This line was subsequently named 'S42-30'.
- 1980-82 We tested S42-30 in replicated yield trials at several midwestern locations and found it to yield well in comparison to other Group IV varieties. We identified and confirmed the descriptive characteristics purple flower color, tawny pubescence, tan pods, black hilum color, and dull seedcoat luster.

In 1982, the Northrup King soybean research group at St. Joseph, IL, initiated seed increase from 500 grams of carefully hand rogued seed. We removed all plants not conforming to the variety description by roguing the increase block several times. Growth and maturity were uniform.

1983-84 We continued to test S42-30 in Advanced Group IV trials to confirm descriptive and performance characteristics.

We grew Breeder Seed of S42-30 from the initial increase made in 1982. Off-type plants were removed. We produced Foundation Seed of S42-30 in 1984. The Iowa Crop Improvement Association inspected the production field and found it to meet the requirements for Foundation Seed. S42-30 was accepted as eligible for Certification by the National Soybean Variety Review Board on December 6, 1984.

Variety S42-30 is stable and uniform. We have observed no variants in five years of testing and three years of seed increase.

Northrup King will maintain varietal purity by use of progeny rows as needed.

EXHIBIT B

Novelty Statement for the Variety

Soybean variety S42-30 is most similar to S42-40. It can be differentiated from S42-40 on the basis of seed protein peroxidose activity. S42-30 has low peroxidose activity ($\underline{\mathrm{Ep}}$), S42-40 has high peroxidose activity ($\underline{\mathrm{Ep}}$).

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

SOY	BEAN (Glycine i	max L.)		
NAME OF APPLICANT(S)	TEMPORARY I	DESIGNATION VARI	ETY NAME	
Northrup King Co.	Ј 910277		S42-30	
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip			FOR OFFIC	IAL USE ONLY
P. O. Box 959	, 3343,	PVPC	NUMBER	
Minneapolis, MN 55440			250	0119
Attention: Robert W. Romig	. *		600	0113
Choose the appropriate response which characterizes the in your answer is fewer than the number of boxes provided the second sec	e variety in the feat ded, place a zero in	ures described below the first box when n	. When the nun umber is 9 or le	nber of significant digits ss (e.g., 0 9).
1. SEED SHAPE: 1	W T 2 = Sph 4 = Elo	nerical Flattened (L/W r Ingate Flattened (L/T ra	atio > 1.2; L/T ra tio > 1.2; T/W	ntio = < 1.2)
2. SEED COAT COLOR: (Mature Seed)				
1 = Yellow 2 = Green 3 = Brown	4 = Black	5 = Other (Special	fy)	in the second se
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)				
1 = Dul! ('Corsoy 79'; 'Braxton') 2 = Shiny ('	Nebsoy'; 'Gasoy 17')			
4. SEED SIZE: (Mature Seed)				
1 4 Grams per 100 seeds	·			
5. HILUM COLOR: (Mature Seed)			-	
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray	5 = Imperfect Black	6 = Black	7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)				
1 = Yellow 2 = Green			·	
7. SEED PROTEIN PEROXIDASE ACTIVITY:			•	
1 1 = Low 2 = High				
8. SEED PROTEIN ELECTROPHORETIC BAND:			•	
2 = Type B (SP1a) 2 = Type B (SP	1 ^b)			
9. HYPOCOTYL COLOR:				
1 = Green only ('Evans'; 'Davis') 2 = Green 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 4 = Dark Purple extending to unifoliate leaves ('Hodge	71')	low cotyledons ('Wood	worth'; 'Tracy')	
10. LEAFLET SHAPE:				
3 1 = Lanceolate 2 = Oval 3 = O	vate 4 = Oth	ner (Specify)		

	LET SIZE:	
2	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	
40 1545		
12. LEAF	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
13. FLOW	ER COLOR:	2.11
2	1 = White 2 = Purple 3 = White with purple throat	
14. POD C	OLOR:	
1	1 = Tan 2 = Brown 3 = Black	
15. PLANT	PUBESCENCE COLOR:	
2	1 = Gray 2 = Brown (Tawny)	
16. PLANT	TYPES:	
2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
17. PLANT	HABIT:	
3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
12 MATIL	RITY GROUP:	
18. MATU	RITY GROUP: 1 = 000	8 = V
7	1 = 000	8 = V
7 19. DISEAS	1 = 000	8 = V
7 19. DISEAS	1 = 000	8 = V
7 19. DISEAS	1 = 000	8 = V
7 19. DISEAS	1 = 000	8 = V
7 19. DISEAS	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) ERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea)	8 = V
7 19. DISEAS BACT 1	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) ERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci)	8 = V
7 19. DISEAS BACT 1	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) ERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea)	8 = V
19. DISEAS BACT	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) ERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines)	8 = V
19. DISEAS BACT	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) ERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina)	8 = V
19. DISEAS BACT	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) ERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina)	
19. DISEAS BACT	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) ERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1 Race 2 Race 3 Race 4 Race 5 Othe	
19. DISEAS BACT	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) ERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1 Race 2 Race 3 Race 4 Race 5 Othe	
19. DISEAS BACT	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X SEREACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) ERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1 Race 2 Race 3 Race 4 Race 5 Othe Target Spot (Corynespora cassiicola) Downy Mildew (Peronospora trifoliorum var. manshurica)	

19. DISEASE REACTI	ON: (Enter 0 = Not Tested; 1 = Susceptible; 2 =	= Resistant) (Continued)	
FUNGAL DISEA	SES: (Continued)		
1 Pod and S	tem Blight (Diaporthe phaseolorum var; sojae)		
Purple See	d Stain (Cercospora kikuchii)		
Rhizocton	ia Root Rot (Rhizoctonia solani)		•
Phytophth	ora Rot (Phytophthora megasperma var. sojae)		
1 Race 1	1 Race 2 1 Race 3 1	Race 4 1 Race 5	5 1 Race 6 1 Race 7
1 Race 8	1 Race 9 Other (Specify)	·	
VIRAL DISEASE	S:		,
Bud Blight	(Tobacco Ringspot Virus)		
Yellow Mo	saic (Bean Yellow Mosaic Virus)		
Cowpea Mo	osaic (Cowpea Chlorotic Virus)		
Pod Mottle	(Bean Pod Mottle Virus)		
Seed Mottle	(Soybean Mosaic Virus)		
NEMATODE DISE	EASES:	•	
Soybean Cy	st Nematode (Heterodera glycines)		
Race 1	Race 2 1 Race 3 1	Race 4 Other	(Specify)
Lance Nema	atode (Hoplolaimus Colombus)		
Southern Ro	pot Knot Nematode (Meloidogyne incognita)		
Northern Ro	oot Knot Nematode (Meloidogyne Hapla)		
Peanut Root	: Knot Nematode (Meloidogyne arenaria)		•
Reniform Ne	ematode (Rotylenchulus reniformis)		
OTHER DIS	EASE NOT ON FORM (Specify):		
<u> </u>		·	
	ESPONSES: (Enter 0 = Not Tested; 1 = Suscep	tible; 2 = Resistant)	
	s on Calcareous Soil		
Other (Special			
1. INSECT REACTION:	(Enter 0 = Not Tested; 1 = Susceptible; 2 = Re	esistant)	
Mexican Bear	n Beetle (Epilachna varivestis)		
Potato Leaf I	Hopper (Empoasca fabae)		
Other (Specif	y)		
2. INDICATE WHICH VA	ARIETY MOST CLOSELY RESEMBLES THA	T SUBMITTED.	
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	S42-40 ·	Seed Coat Luster	A3659
Leaf Shape	A3966	Seed Size	Pixie
Leaf Color Leaf Size	S42-40	Seed Shape	S42-40
	S42-40	Seedling Pigmentation	A3659
			6

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS LODGING SCORE	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/	
		SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	133	2.0	91	7.6	10.6	40.4	21.3	14.3	2-3
Villiams 82 Name of Similar Variety	130	2.5	107	8.8	11.5	38.0	21.9	15.2	2-3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

EXHIBIT D

Additional Description of the Variety

Soybean variety S42-30 is an early Group IV cultivar maturing about 3 days later than Williams 82 and four days earlier than Douglas. It has excellent emergence and good lodging resistance.

EXHIBIT E

Statement of the Basis of the Applicant's Ownership

The soybean variety S42-30 was developed by the Northrup King Co. soybean breeding staff from germplasm sources cited in Exhibit A of this application. Northrup King Co. believes that the variety is novel as defined in the Plant Variety Protection Act and, therefore, that Northrup King Co. is the sole owner of the variety.